

WHAT IS CLAIMED IS:

Sub
#4

1. A person's portrait generation device comprising:
an image input section which picks up a two-dimensional
image containing a person's face by using an image sensor;
5 a head area extracting section which extracts a head
area from a differential image of a plurality of the
two-dimensional images picked up by the image input section;
a feature detection section which detects position
of characteristic features of the face within the extracted
10 head area;
a face outline determining section which determines
a border between a face outline and a background within the
head area;
an image processing section which generates a person's
15 portrait in which the characteristics in the person's face
is emphasized based upon the two-dimensional image by using
data acquired in the head area extracting section, the
feature detection section and the face outline determining
section.
20
2. The person's portrait generation device according to
claim 1,
wherein in the head area extracting section, the
outline of the head area is obtained by combining a right-side
25 profile and a left-side profile of the differential image.

3. The person's portrait generation device according to claim 2,

wherein the outline of the head area is obtained by eliminating noise components of the right-side profile and
5 left-side profile through filtering.

Sub 15
4. The person's portrait generation device according to claim 2,

wherein the head area extracting section provides the
10 head area obtained by a head rectangular shape in which a left side, a right side and an upper side are determined by the outline of the head area and a lower side is determined by a shape ratio constant of a general person's head.

15 5. A person's portrait generation device comprising:
an image input section which picks up a two-dimensional image containing a person's face by using an image sensor;
a head area extracting section which extracts a head area from the image picked up by the image input section;
20 a feature detection section which detects position of characteristic features of the face by dividing the head area thus extracted into face part areas for respective face parts and finding projection data of binarized images for the respective face parts areas;
25 a face outline determining section which determines

a border between a face outline and a background within the head area; and

an image processing section which generates a person's portrait in which the characteristics in the person's face is emphasized based upon the two-dimensional image by using data acquired in the head area extracting section, the feature detection section and the face outline determining section.

6. The person's portrait generation device according to claim 5,

wherein the face parts area is determined by relative positional information of the face parts with respect to the head area preliminarily found.

7. The person's portrait generation device according to claim 5,

wherein the position of characteristic features of the face is detected based on a position of a center-of-gravity of the projection data.

8. The person's portrait generation device according to claim 5,

wherein the position of characteristic features of the face is detected by based on a position of a maximum

value of the projection data.

9. A person's portrait generation device comprising:

an image input section which picks up a two-dimensional
5 image containing a person's face by using an image sensor;

a head area extracting section which extracts a head
area from the image picked up by the image input section;

a feature detection section which detects position
of characteristic features within the extracted head area;

10 a face outline determining section which determines
a border between a face outline and a background within the
head area by specifying a skin color area of the
two-dimensional image;

an image processing section which generates a person's
15 portrait in which the characteristics in the person's face
is emphasized based upon the two-dimensional image by using
data acquired in the head area extracting section, the
feature detection section and the face outline determining
section.

20

10. The person's portrait generation device according to
claim 9,

wherein the face outline determining section
determines the outline of the jaw.

25

11. The person's portrait generation device according to claim 9,

wherein in the face outline determining section, the skin color area is determined by converting an inputted RGB value to an HSV value.

12. The person's portrait generation device according to claim 9,

wherein, with respect to an average color in the vicinity of the characteristic features of the face, areas having similar colors are used as face area candidates.

13. A person's portrait generation device comprising:
an image input section which picks up a two-dimensional image containing a person's face by using an image sensor;

a head area extracting section which extracts a head area from the image picked up by the image input section;

a feature detection section which detects position of characteristic features of the face for each of the face parts within the head area that has been extracted;

a face outline determining section which determines a border between a face outline and a background within the head area; and

an image processing section which generates a person's portrait in which the characteristics in the person's face

is emphasized by changing the two-dimensional image with respect to each of the face parts.

14. The person's portrait generation device according to
5 claim 13,

wherein the image processing section expresses a person's emotions by changing the shape of a partial image at each of an eye portion, a noise portion and a mouth portion that are the characteristic features of the face.

10

15. The person's portrait generation device according to claim 13,

wherein the image processing section replaces partial images at an eye portion, a noise portion and a mouth portion
15 that are characteristic features of the face.

16. A communication terminal comprising:

an image input section which picks up a two-dimensional image containing a person's face by using an image sensor;
20 a head area extracting section which extracts a head area from a differential image of a plurality of the two-dimensional images picked up by the image input section;

a feature detection section which detects position of characteristic features within the extracted head area;

25 a face outline determining section which determines

a border between a face outline and a background within the head area; and

an image processing section which generates a person's portrait in which the characteristics in the person's face is emphasized based upon the two-dimensional image by using data acquired in the head area extracting section, the feature detection section and the face outline determining section,

wherein the resulting person's portrait is transmitted and received through a communication unit.

17. The communication terminal according to claim 16, wherein in the head area extracting section, the outline of the head area is obtained by combining a right-side profile and a left-side profile of the differential image.

18. The communication terminal according to claim 17, wherein the outline of the head area is obtained by eliminating noise components of the right-side profile and left-side profile through filtering.

Sub
A7 19. The communication terminal according to claim 17, wherein the head area extracting section provides the head area obtained by a head rectangular shape in which a left side, a right side and an upper side are determined

by the outline of the head area and a lower side is determined by a shape ratio constant of a general person's head.

20. A communication terminal comprising:

5 an image input section which picks up a two-dimensional image containing a person's face by using an image sensor;

a head area extracting section which extracts a head area from the image picked up by the image input section;

10 a feature detection section which detects position of characteristic features of the face by dividing the head area thus extracted into face part areas for respective face parts and finding projection data of binarized images for the respective face parts areas;

15 a face outline determining section which determines a border between a face outline and a background within the head area; and

an image processing section which generates a person's portrait in which the characteristics in the person's face is emphasized based upon the two-dimensional image by using
20 data acquired in the head area extracting section, the feature detection section and the face outline determining section,

wherein the resulting person's portrait is transmitted and received through a communication unit.

21. The communication terminal according to claim 20,
wherein the face parts area is determined by relative
positional information of the face parts with respect to
the head area preliminarily found.

5

22. The communication terminal according to claim 20,
wherein the position of characteristic features of
the face is detected based on a position of a
center-of-gravity of the projection data.

10

Sub AS 23. The communication terminal according to claim 20,
wherein the position of characteristic features of
the face is detected by based on a position of a maximum
value of the projection data.

15

24. A communication terminal comprising:
an image input section which picks up a two-dimensional
image containing a person's face by using an image sensor;
a head area extracting section which extracts a head
20 area from the image picked up by the image input section;
a feature detection section which detects position
of characteristic features within the extracted head area;
a face outline determining section which determines
a border between a face outline and a background within the
25 head area by specifying a skin color area of the

two-dimensional image; and

an image processing section which generates a person's portrait in which the characteristics in the person's face is emphasized based upon the two-dimensional image by using data acquired in the head area extracting section, the feature detection section and the face outline determining section,

wherein the resulting person's portrait is transmitted and received through a communication unit.

10

25. The communication terminal according to claim 24, wherein the face outline determining section determines the outline of the jaw.

15

26. The communication terminal according to claim 24, wherein in the face outline determining section, the skin color area is determined by converting an inputted RGB value to an HSV value.

20

27. The communication terminal according to claim 24, wherein determining the skin color area in the face outline determining section, with respect to an average color in the vicinity of the characteristic features of the face, areas having similar colors are used as face area candidates.

25

28. A communication terminal comprising:
an image input section which picks up a two-dimensional
image containing a person's face by using an image sensor;
a head area extracting section which extracts a head
5 area from the image picked up by the image input section;
a feature detection section which detects position
of characteristic features of the face for each of the face
parts within the head area that has been extracted;
a face outline determining section which determines
10 a border between a face outline and a background within the
head area; and
an image processing section which generates a person's
portrait in which the characteristics in the person's face
is emphasized by changing the two-dimensional image with
15 respect to each of the face parts,
wherein the resulting person's portrait is transmitted
and received through a communication unit.

29. The communication terminal according to claim 28,
20 wherein the image processing section expresses a
person's emotions by changing the shape of a partial image
at each of an eye portion, a nose portion and a mouth portion
that are the characteristic features of the face.

30. The communication terminal according to claim 28,
wherein the image processing section replaces partial
images at an eye portion, a noise portion and a mouth portion
that are characteristic features of the face.

5

31. A person's portrait generation method comprising:
an image input step of picking up a two-dimensional
image containing a person's face by using an image sensor;
a head area extracting step of extracting a head area
10 from a differential image of a plurality of the
two-dimensional images picked up in the image input step;
a feature detection step of detecting position of
characteristic features within the extracted head area;
a face outline determining step of determining a border
15 between a face outline and a background within the head area;
and

an image processing step of creating a person's
portrait in which the characteristics in the person's face
are emphasized based upon the two-dimensional image by using
20 output data obtained in the head area extracting step, the
feature detection step and the face outline determining step.

32. The person's portrait generation method according to
claim 31,

25 wherein in the head area extracting step, the outline

of the head area is obtained by combining a right-side profile and a left-side profile of the differential image.

33. The person's portrait generation method according to
5 claim 32,

wherein the outline of the head area is obtained by eliminating noise components of the right-side profile and left-side profile through a filtering step.

10 34. The person's portrait generation method according to claim 32,

wherein the head area extracting step provides the head area that is obtained by a head rectangular shape in which a left side, a right side and an upper side are determined
15 by the outline of the head area and a lower side is determined by a shape ratio constant of a general person's head.

35. A person's portrait generation method comprising:
an image input step of picking up a two-dimensional
20 image containing a person's face by using an image sensor;
a head area extracting step of extracting a head area from the image picked up in the image input step;
a feature detection step of detecting position of characteristic features of the face by dividing the head
25 area thus extracted into face part areas for respective face

parts and finding projection data of binarized images for the respective face parts areas;

a face outline determining step of determining a border between a face outline and a background within the head area;

5 and

an image processing step of creating a person's portrait in which the characteristics in the person's face is emphasized based upon the two-dimensional image by using data acquired in the head area extraction step, the feature
10 detection step and the face outline determining step.

36. The person's portrait generation method according to claim 35,

wherein the face parts area is determined by relative
15 positional information of the face parts with respect to the head area preliminarily found.

37. The person's portrait generation method according to claim 35,

20 wherein the position of characteristic features of the face is detected based on a position of a center-of-gravity of the projection data.

Sub
A9
25 38. The person's portrait generation method according to claim 35,

wherein the position of characteristic features of the face is detected by based on a position of a maximum value of the projection data.

- 5 39. A person's portrait generation method comprising:
an image input step of picking up a two-dimensional image containing a person's face by using an image sensor;
a head area extracting step of extracting a head area from the image picked up in the image input step;
10 a feature detection step of detecting position of characteristic features within the extracted head area;
a face outline determining step of determining a border between a face outline and a background within the head area by specifying a skin color area of the two-dimensional image;
15 and
an image processing step of creating a person's portrait in which the characteristics in the person's face is emphasized based upon the two-dimensional image by using data acquired in the head area extraction step, the feature
20 detection step and the face outline determining step.

40. The person's portrait generation method according to claim 39,

wherein in the face outline determining step, the
25 outline of the jaw is determined.

41. The person's portrait generation method according to claim 39,

wherein in the face outline determining step, the skin color area is determined by converting an inputted RGB value to an HSV value.

42. The person's portrait generation method according to claim 39,

wherein the determining method in the face outline determining step, with respect to an average color in the vicinity of the characteristic features of the face, areas having similar colors are used as face area candidates.

43. A person's portrait generation method comprising:

an image input step of picking up a two-dimensional image containing a person's face by using an image sensor;

a head area extracting step of extracting a head area from the image picked up in the image input step;

a feature detection step of detecting position of characteristic features of the face for each of the face parts within the head area that has been extracted;

a face outline determining step of determining a border between a face outline and a background within the head area; and an image processing step of creating a person's portrait in which the characteristics in the person's face is

emphasized by changing the two-dimensional image with respect to each of the face parts.

44. The person's portrait generation method according to
5 claim 43,

wherein the image processing step expresses a person's emotions by changing the shape of a partial image at each of an eye portion, a nose portion and a mouth portion that are the characteristic features of the face.

10

45. The person's portrait generation method according to claim 43,

wherein the image processing step replaces partial images at an eye portion, a nose portion and a mouth portion
15 that are characteristic features of the face.

46. A communication method using a communication terminal that comprises:

an image input step of picking up a two-dimensional
20 image containing a person's face by using an image sensor;
a head area extracting step of extracting a head area from a differential image of a plurality of the two-dimensional image picked up in the image input step;
a feature detection step of detecting position of
25 characteristic features within the extracted head area;

a face outline determining step of determining a border between a face outline and a background within the head area by specifying a skin color area of the two-dimensional image;

an image processing step of creating a person's portrait in which the characteristics in the person's face is emphasized based upon the two-dimensional image by using data acquired in the head area extraction step, the feature detection step and the face outline determining step; and

a step in which, when a communication is received, the person's portrait thus created is displayed so as to inform the user of the receipt of the communication.

47. A communication method using a communication terminal that comprises:

an image input step of picking up a two-dimensional image containing a person's face by using an image sensor;

a head area extracting step of extracting a head area from the image picked up in the image input step;

a feature detection step of detecting position of characteristic features of the face by dividing the head area thus extracted into face part areas for respective face parts and finding projection data of binarized images for the respective face parts areas;

a face outline determining step of determining a border between a face outline and a background within the head area;

an image processing step of creating a person's portrait in which the characteristics in the person's face is emphasized based upon the two-dimensional image by using data acquired in the head area extraction step, the feature
5 detection step and the face outline determining step; and

a step in which, when a communication is received, the person's portrait thus created is displayed so as to inform the user of the receipt of the communication.

48. A communication method using a communication terminal that comprises:

an image input step of picking up a two-dimensional image containing a person's face by using an image sensor;

a head area extracting step of extracting a head area
15 from the image picked up in the image input step;

a feature detection step of detecting position of characteristic features within the extracted head area;

a face outline determining step of determining a border between a face outline and a background within the head area
20 by specifying a skin color area of the two-dimensional image;

an image processing step of creating a person's portrait in which the characteristics in the person's face is emphasized based upon the two-dimensional image by using data acquired in the head area extraction step, the feature
25 detection step and the face outline determining step; and

a step in which, when a communication is received, the person's portrait thus created is displayed so as to inform the user of the receipt of the communication.

- 5 49. A communication method using a communication terminal that comprises:

an image input step of picking up a two-dimensional image containing a person's face by using an image sensor;

10 a head area extracting step of extracting a head area from the image picked up in the image input step;

a feature detection step of detecting position of characteristic features of the face for each of the face parts within the head area that has been extracted;

15 a face outline determining step of determining a border between a face outline and a background within the head area;

an image processing step of creating a person's portrait in which the characteristics in the person's face is emphasized by changing the two-dimensional image with respect to each of the face parts; and

20 a step in which, when a communication is received, the person's portrait thus created is displayed so as to inform the user of the receipt of the communication.

50. A recording medium in which is recorded a person's portrait generation program which is executed by a computer, and comprises:

5 a head area extracting program for extracting a head area of a person from a differential image of a plurality of two-dimensional images picked up by an image input section;

10 a feature detection program for detecting positions of characteristic features of the person's portrait by dividing the head area into face part areas for respective face parts, finding projection data of binarized images for the respective face parts areas and detecting the position of each of the face parts based upon a center-of-gravity position of the projection data;

15 a face outline determining program for determining a border between a face outline and a background within the head area by specifying a skin color area of the two-dimensional image; and

20 an image processing program for creating a person's portrait in which the characteristics in the person's face is emphasized by changing the two-dimensional image with respect to each of the face parts.